



SOLE

### **FEATURES**

#### UPPER

Drummed leather Hydro 1,8-2,0 mm

#### LINING

3D Air circulation 320 gr.

#### ANTISLIP LINING DUALMICRO

INSOLE

Flvfit

TYPE Low Shoe



## SRC (SRA+SRB)

- Marine - M	(Mining)	SOLE 52 - 53 <b>PU - PU</b>	
SRA	FLAT ≥ <b>0.32</b>	0.36	
DETERGENT SOLUTION	HEEL (CONTACT ANGLE 7°) ≥0.28	0.42	
SRB	FLAT ≥0.18 HEEL (CONTACTANGLE 7*)	0.19	N ISO 20344:2011
GLYCEROL	(CONTACT ANGLE 7") ≥0.13	0.14	N ISO

**PU DUAL-DENSITY SRC** Two-component PU sole with selfcleaning pattern, extremely flexible for various places of use, both indoor and outdoor, with SRC Antislip Standard.



## TECHNOLOGIES

## **Removable Insole**



The upper layer in contact with the foot is made of a highly resistant netting to ensure exceptional absorption of dampness. A selfforming antibacterial foam layer ensures comfort and correct support of the foot.



#### Lateral stability

dynamic H control technology

Ergonomic rigid internal structure. It houses the heel into the right seat, adjusting the foot support and control of the ankle sideways movements. It keeps the foot tight to the shoe, allowing the perfect fit.

**Electrical features** 



Strip with 4 filaments of carbon fiber, ensuring proven anti-static properties of the footwear over time.



### EN ISO 20347:2012

HORIZON **CUPRA** 53071-19

**02 FO SRC** 

Size: 36-48 Weight: 480 gr.

**Protection elements** 

the comfort of Sixton

**Torsional stability** 

Fit: 10,5

## Working Environment:

Multipurpose, Logistics and Light Industry, Ho.Re.Ca.

EN ISO 20347:2012

"Occupational" footwear with all the

footwear.Footwear without safety

physico-chemical characteristics and

11/04/2023

# toecap, with no anti-perforation insert.

Support made of rigid plastic

material. It stabilizes the heel bone, the instep and tarsal joints, without altering energy absorption. A support for the natural movement of the foot; it provides comfort and greater . stability.

(S) STABIL•ACTIVE





Double non-slip layer of microfibre. resistant up to 200,000 cycles. Makes the footwear more comfortable, blocking the foot during use.

